

**TABLE 1**  
**SUMMARY OF SOIL GAS ANALYTICAL RESULTS**  
**Sempra Energy - Playa Del Rey, CA**  
**Page 1 of 4**

Sample ID:	Sample Date:	ANALYTE Units	N-Butane ppmv	Ethane ppmv	Ethene ppmv	N-Hexane ppmv	Isobutane ppmv	Methane ppmv	Pentane ppmv	Propane ppmv	Propene ppmv	Hydrocarbons C6+ ppmv
SG-001-1PV	06/10/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	30	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-001-3PV	06/10/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	20	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-001-7PV	06/10/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	29	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-002	06/10/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	31	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-003	06/10/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	29	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-004	06/10/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	25	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-005	06/10/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	18	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-006-1PV	06/10/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	19	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-006-3PV	06/10/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	13 J	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-006-7PV	06/10/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	23	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-006-9PV	06/10/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	12 J	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-007	06/10/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	21	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-007-DUP	06/10/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	18	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-008	06/11/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	19	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-009	06/11/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	14 J	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-010	06/11/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	16	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-011	06/11/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	17	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-012	06/11/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	21	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-013	06/11/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	24	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-014	06/11/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	16	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-015	06/11/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	23	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-016	06/11/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	19	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-017	06/11/2009	CONC	ND (<1.5)	1.4 J	ND (<3.0)	ND (<1.5)	ND (<1.5)	25	ND (<1.5)	0.50 J	0.53 J	ND (<1.5)
SG-018	06/11/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	24	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-018-DUP	06/11/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	26	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-019	06/11/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	21	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-020	06/11/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	23	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-021	06/11/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	22	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-022	06/12/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	28	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-023	06/12/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	24	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-024	06/12/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	24	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-025	06/12/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	26	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-026	06/12/2009	CONC	ND (<1.5)	1.3 J	ND (<3.0)	ND (<1.5)	ND (<1.5)	33	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-027	06/12/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	26	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-027-DUP	06/12/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	25	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-028	06/12/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	28	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-029	06/12/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	20	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-030	06/12/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	18	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-031	06/12/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	19	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-032	06/12/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	20	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-033	06/12/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	20	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-034	06/12/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	18	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-035	06/12/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	21	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-036	06/15/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	28	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-037	06/15/2009	CONC	ND (<1.5)	1.3 J	ND (<3.0)	ND (<1.5)	ND (<1.5)	31	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-038	06/15/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	26	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)

Notes: ppmv = parts per million by volume  
ND (<1.5) = Not detected above indicated detection limit  
J = Estimated Value reported between the Method Detection Limit (MDL) and Reporting Limit (RL)  
CONC = Concentration

**TABLE 1**  
**SUMMARY OF SOIL GAS ANALYTICAL RESULTS**  
**Sempra Energy - Playa Del Rey, CA**  
**Page 2 of 4**

Sample ID:	Sample Date:	ANALYTE Units	N-Butane ppmv	Ethane ppmv	Ethene ppmv	N-Hexane ppmv	Isobutane ppmv	Methane ppmv	Pentane ppmv	Propane ppmv	Propene ppmv	Hydrocarbons C6+ ppmv
SG-039	06/15/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	20	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-040	06/15/2009	CONC	ND (<1.5)	1.7 J	ND (<3.0)	ND (<1.5)	ND (<1.5)	37	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-041	06/15/2009	CONC	ND (<1.5)	1.3 J	ND (<3.0)	ND (<1.5)	ND (<1.5)	30	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-042	06/15/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	22	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-042-DUP	06/15/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	24	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-043	06/15/2009	CONC	ND (<1.5)	1.6 J	ND (<3.0)	ND (<1.5)	ND (<1.5)	30	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-044	06/15/2009	CONC	ND (<1.5)	1.4 J	ND (<3.0)	ND (<1.5)	ND (<1.5)	30	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-045	06/15/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	23	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-046	06/15/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	17	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-047	06/15/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	24	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-048	06/15/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	24	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-048-DUP	06/15/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	22	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-049	06/16/2009	CONC	ND (<1.5)	1.4 J	ND (<3.0)	ND (<1.5)	ND (<1.5)	33	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-050	06/16/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	24	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-051	06/16/2009	CONC	ND (<1.5)	1.4 J	ND (<3.0)	ND (<1.5)	ND (<1.5)	29	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-052	06/16/2009	CONC	ND (<1.5)	1.4 J	ND (<3.0)	ND (<1.5)	ND (<1.5)	28	ND (<1.5)	0.45 J	ND (<1.5)	0.44 J
SG-053	06/16/2009	CONC	ND (<1.5)	1.3 J	ND (<3.0)	ND (<1.5)	ND (<1.5)	29	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-054	06/16/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	21	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-055	06/16/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	25	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-055-DUP	06/16/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	28	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-056	06/16/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	20	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-057	06/16/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	26	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-058	06/16/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	22	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-059	06/16/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	23	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-060	06/16/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	25	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-061	06/16/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	17	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-062	06/16/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	25	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-063	06/17/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	23	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-064-1PV	06/17/2009	CONC	0.83 J	ND (<3.0)	ND (<3.0)	ND (<1.5)	1.8	350000	ND (<1.5)	9.0	ND (<1.5)	ND (<1.5)
SG-064-3PV	06/17/2009	CONC	0.87 J	ND (<3.0)	ND (<3.0)	ND (<1.5)	2.0	590000	ND (<1.5)	9.9	ND (<1.5)	ND (<1.5)
SG-064-7PV	06/17/2009	CONC	0.89 J	ND (<3.0)	ND (<3.0)	ND (<1.5)	2.0	550000	ND (<1.5)	9.7	ND (<1.5)	ND (<1.5)
SG-064A-1PV	06/17/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	0.51 J	190000	0.39 J	2.4	ND (<1.5)	ND (<1.5)
SG-064A-3PV	06/17/2009	CONC	0.67 J	ND (<3.0)	ND (<3.0)	ND (<1.5)	1.5	270000	1.1 J	6.9	ND (<1.5)	ND (<1.5)
SG-064A-7PV	06/17/2009	CONC	0.64 J	ND (<3.0)	ND (<3.0)	ND (<1.5)	1.4 J	240000	ND (<1.5)	6.5	ND (<1.5)	ND (<1.5)
SG-065	06/18/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	0.41 J	54000	ND (<1.5)	1.6	ND (<1.5)	ND (<1.5)
SG-066	06/18/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	12 J	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-067	06/18/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	13 J	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-068	06/18/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	14 J	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-069	06/18/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	15	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-070	06/18/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	18	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-071	06/18/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	13 J	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-072	06/18/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	12 J	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)

Notes: ppmv = parts per million by volume  
ND (<1.5) = Not detected above indicated detection limit  
J = Estimated Value reported between the Method Detection Limit (MDL) and Reporting Limit (RL)  
CONC = Concentration

**TABLE 1**  
**SUMMARY OF SOIL GAS ANALYTICAL RESULTS**  
 Sempra Energy - Playa Del Rey, CA  
 Page 3 of 4

Sample ID:	Sample Date:	ANALYTE Units	N-Butane ppmv	Ethane ppmv	Ethene ppmv	N-Hexane ppmv	Isobutane ppmv	Methane ppmv	Pentane ppmv	Propane ppmv	Propene ppmv	Hydrocarbons C6+ ppmv
SG-073	06/18/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	15	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-074	06/18/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	15	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-075	06/18/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	17	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-076	06/18/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	16	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-076-DUP	06/18/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	17	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-077	06/19/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	21	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-078	06/19/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	12 J	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-079	06/19/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	14 J	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-079-DUP	06/19/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	15	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-080	06/19/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	14 J	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-081	06/19/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	14 J	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-082	06/19/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	19	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-083	06/19/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	13 J	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-084	06/19/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	16	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-085	06/19/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	17	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-085-DUP	06/19/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	23	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-086	06/22/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	30	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-087	06/22/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	34	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-088	06/22/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	23	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-089	06/22/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	18	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-090	06/22/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	22	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-091	06/22/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	22	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-092	06/22/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	25	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-093	06/22/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	26	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-094	06/22/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	20	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-095	06/22/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	20	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-096	06/22/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	26	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-097	06/22/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	22	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-097-DUP	06/22/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	17	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-098	06/23/2009	CONC	ND (<1.5)	1.3 J	ND (<3.0)	ND (<1.5)	ND (<1.5)	30	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-099	06/23/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	23	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-100	06/23/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	24	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-101	06/23/2009	CONC	ND (<1.5)	1.3 J	ND (<3.0)	ND (<1.5)	ND (<1.5)	29	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-102	06/23/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	18	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-103	06/23/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	21	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-104	06/23/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	23	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-105	06/23/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	17	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-106	06/23/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	20	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-107	06/23/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	21	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-108	06/23/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	21	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-109	06/23/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	21	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)

Notes: ppmv = parts per million by volume  
 ND (<1.5) = Not detected above indicated detection limit  
 J = Estimated Value reported between the Method Detection Limit (MDL) and Reporting Limit (RL)  
 CONC = Concentration

**TABLE 1**  
**SUMMARY OF SOIL GAS ANALYTICAL RESULTS**  
**Sempra Energy - Playa Del Rey, CA**  
**Page 4 of 4**

Sample ID:	Sample Date:	ANALYTE Units	N-Butane ppmv	Ethane ppmv	Ethene ppmv	N-Hexane ppmv	Isobutane ppmv	Methane ppmv	Pentane ppmv	Propane ppmv	Propene ppmv	Hydrocarbons C6+ ppmv
SG-110	06/23/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	17	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-111	06/23/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	18	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-112	06/23/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	22	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-112-DUP	06/23/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	21	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-113	06/24/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	24	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-114	06/24/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	28	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-115	06/24/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	340	ND (<1.5)	0.53 J	ND (<1.5)	ND (<1.5)
SG-116	06/24/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	24	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-117	06/24/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	25	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-118	06/24/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	20	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-119	06/24/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	20	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-120	06/24/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	21	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-120-DUP	06/24/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	20	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-121	06/24/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	14 J	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-122	06/24/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	14 J	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-123	06/24/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	24	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-124	06/24/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	18	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-125	06/24/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	20	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-126	06/24/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	22	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-126-DUP	06/24/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	24	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-127	06/25/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	26	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-128	06/25/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	650	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-129	06/25/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	41	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-130	06/25/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	26	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-131	06/25/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	27	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-132	06/25/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	30	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-133	06/25/2009	CONC	ND (<1.5)	2.3 J	ND (<3.0)	ND (<1.5)	ND (<1.5)	600	ND (<1.5)	1.0 J	ND (<1.5)	2.0
SG-134	06/25/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	20	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-134-DUP	06/25/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	19	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-135	06/25/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	33	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-136	06/25/2009	CONC	ND (<1.5)	1.5 J	ND (<3.0)	ND (<1.5)	ND (<1.5)	110	ND (<1.5)	0.55 J	ND (<1.5)	ND (<1.5)
SG-137	06/25/2009	CONC	0.60 J	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	16000	ND (<1.5)	1.6	ND (<1.5)	24
SG-138	06/25/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	30	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-139	06/25/2009	CONC	0.65 J	4600	ND (<3.0)	2.6	140	210000	4.8	6.8	ND (<1.5)	2.9
SG-140	06/26/2009	CONC	47	7900	ND (<3.0)	16	320	370000	29	380	ND (<1.5)	34
SG-141	06/26/2009	CONC	0.61 J	13000	ND (<3.0)	1.4 J	61	450000	2.5	11	ND (<1.5)	20
SG-142	06/26/2009	CONC	ND (<1.5)	20	ND (<3.0)	ND (<1.5)	0.44 J	1100	ND (<1.5)	0.47 J	ND (<1.5)	ND (<1.5)
SG-143	06/26/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	22	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-144	06/26/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	25	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-144-DUP	06/26/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	23	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-145	06/26/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	18	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-146	06/26/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	17	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-147	06/26/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	13 J	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-148	06/26/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	16	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-149	06/26/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	10 J	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-150	06/26/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	12 J	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)
SG-150-DUP	06/26/2009	CONC	ND (<1.5)	ND (<3.0)	ND (<3.0)	ND (<1.5)	ND (<1.5)	13 J	ND (<1.5)	ND (<1.5)	ND (<1.5)	ND (<1.5)

Notes: ppmv = parts per million by volume  
ND (<1.5) = Not detected above indicated detection limit  
J = Estimated Value reported between the Method Detection Limit (MDL) and Reporting Limit (RL)  
CONC = Concentration