

SoCalGas, July 1st, 2024

**Rulemaking (R.) 15-01-008 to Adopt Rules and Procedures Governing Commission Regulated Natural Gas Pipelines and Facilities to Reduce Natural Gas Leaks Consistent with Senate Bill 1371, Leno.
In Response to Data Request, R15-01-008 - 2024 June Report
Appendix 2; Rev. 03/29/2024**

Notes:

Use a formula-derived value with the formula used in the Annual Emissions column. Do not use a copy and paste-as-value.

At the end of Annual Emissions Column, add a summation total in a cell for a column total, and then highlight orange.

Facilities emissions that are based on a population count times an emission factor (See Appendix 9 for guidance).

Transmission M&R Station Total Leaks and Emissions:

Number of Stations	Station Classification	Emission Factor (Mscf/yr/station)	Annual Emission (Mscf)	Explanatory Notes / Comments
70	T	1554.80	108,836.00	This includes stations that have Transmission to Distribution connections
492	F	12.20	6,002.40	Tap Facilities -Transmission Maintained
Sum Total			114,838	

SoCalGas, July 1st, 2024

Rulemaking (R.) 15-01-008 to Adopt Rules and Procedures Governing Commission Regulated Natural Gas Pipelines and Facilities to Reduce Natural Gas Leaks Consistent with Senate Bill 1371, Leno.

In Response to Data Request, R15-01-008 - 2024 June Report
Appendix 2; Rev. 03/29/2024

Note:

Use a formula-derived value with the formula used in the Annual Emissions column. Do not use a copy and paste-as-value.

At the end of Annual Emissions Column, add a summation total in a cell for a column total, and then highlight orange.

Transmission M&R Station Blowdowns:

ID	Geographic Location	Number of Blowdown Events	Annual Emissions (Mscf)	Explanatory Notes / Comments
BD-2023-834	92887	1	54.66	Station blowdown
BD-2023-812	93011	1	7.74	Station blowdown
BD-2023-816	91803	1	0.08	Station blowdown
BD-2023-978	92336	1	0.01	Station blowdown
BD-2023-1113	92225	1	695.22	Station blowdown
BD-2023-1144	92555	1	720.87	Station blowdown
BD-2023-1160	92257	1	5.73	Station blowdown
BD-2024-1284	92257	1	22.81	Station blowdown
BD-2024-1107	92555	1	681.79	Station blowdown
BD-2024-1315	91350	1	0.00	Station blowdown
BD-2023-1033	91803	1	54.6964	Station blowdown
N/A	SoCalGas Territory	393	11.79	Filter Changeout or Filter Inspection w/parts replacement - Estimated avg. gas vented = 30 scf/ea
N/A	SoCalGas Territory	35	0.07	LineBreaks - Estimated avg. gas vented = 2 scf/insp
N/A	SoCalGas Territory	31	0.62	Meter/Orifice 20 scf/each
N/A	SoCalGas Territory	46	0.92	Relief Valve Inspection at Transmission M&R Stations - Estimated avg. gas vented = 20 scf/insp
N/A	SoCalGas Territory	16	0.48	Drips 30scf/ each
N/A	SoCalGas Territory	8	0.02	Analyzers & GCs 2scf/inspection
N/A	SoCalGas Territory	487	0.97	Actuators/Controllers - Estimated avg. gas vented = 2 scf/insp
Sum Total			2,258	

SoCalGas, July 1st, 2024

Rulemaking (R) 15-01-008 to Adopt Rules and Procedures Governing Commission Regulated Natural Gas Pipelines and Facilities to Reduce Natural Gas Leaks Consistent with Senate Bill 1371, Leno.
 In Response to Data Request, R15-01-008 - 2024 June Report
 Appendix 2, Rev. 03/29/2024

Notes:
 The data collected on this sheet is for informational purposes and may not be included in the emissions inventory for 2023. The worksheet is designed to track actual leaks for future reference and to determine if an actual leak based emissions accounting is feasible for M&R stations.
 Use a formula-derived value with the formula used in the Annual Emissions column. Do not use a copy and paste-as-value.
 At the end of Annual Emissions Column, add a summation total in a cell for a column total and then highlight orange.

The emissions captured on this tab represent the emissions associated with unintentional leaks that if repaired would not be leaking. If the component is releasing gas or "bleeding" as a result of its design or function, then it is not to be captured in this tab.

Transmission M&R Station Component Fugitive Leaks:

ID	Geographic Location	Station Classification	Device Type	Bleed Rate	Manufacturer	Discovery Date (MM/DD/YYYY)	Repair Date (MM/DD/YYYY)	Number of Days Leaking	12/31/2023		1/1/2024		Explanatory Notes / Comments	Prior Survey Date (MM/DD/YYYY)
									Emission Factor (Mscf/Station/Year)	Annual Emissions (Mscf)	Emission Factor (Mscf/Station/Year)	Annual Emissions (Mscf)		
8072119	92886 B3	V				9/17/2022	8/17/2023	229	NA	NA	Component leaks at Transmission M&R Stations - Emissions are included in Transmission M&R Facilities Emission Factor of 1,554.8 Mscf/Station/Year		12/1/2021	
8128156	91436 B1	C				12/5/2022	10/27/2023	300	NA	NA	Component leaks at Transmission M&R Stations - Emissions are included in Transmission M&R Facilities Emission Factor of 1,554.8 Mscf/Station/Year		6/28/2022	
8182868	91709 B3	C				11/8/2023	6/26/2023	177	NA	NA	Component leaks at Transmission M&R Stations - Emissions are included in Transmission M&R Facilities Emission Factor of 1,554.8 Mscf/Station/Year		9/16/2022	
8232267	93277 B3	C				3/13/2023	7/31/2023	189	NA	NA	Component leaks at Transmission M&R Stations - Emissions are included in Transmission M&R Facilities Emission Factor of 1,554.8 Mscf/Station/Year		1/24/2023	
8242095	92257 B3	Other				3/23/2023	12/18/2023	352	NA	NA	Component leaks at Transmission M&R Stations - Emissions are included in Transmission M&R Facilities Emission Factor of 1,554.8 Mscf/Station/Year		11/8/2022	
8289040	93277 B3	M				8/25/2023		342	NA	NA	Component leaks at Transmission M&R Stations - Emissions are included in Transmission M&R Facilities Emission Factor of 1,554.8 Mscf/Station/Year		1/24/2023	
8385682	91709 B3	V				8/23/2023	8/23/2023	93	NA	NA	Component leaks at Transmission M&R Stations - Emissions are included in Transmission M&R Facilities Emission Factor of 1,554.8 Mscf/Station/Year		5/23/2023	
8483379	92887 B3	P				12/8/2023	12/8/2023	22	NA	NA	Component leaks at Transmission M&R Stations - Emissions are included in Transmission M&R Facilities Emission Factor of 1,554.8 Mscf/Station/Year		11/17/2023	
Sum Total														

Appendix 2; Rev. 03/29/2024

Header column "Comment" boxes displayed below for reference.	
Column Heading	Description and Definition of Required Contents (IF not self-explanatory)
Station Leaks and Emissions	
Number of Stations	
Station Classification	D = direct sale T = transmission-to-transmissions interconnect As revised in 2021, enter Farm Taps in Appendix 5
Emission Factor (Mscf/yr)	
Annual Emission (Mscf)	
Explanatory Notes / Comments	
Blowdowns	
ID	
Geographic Location	GIS, zip code, or equivalent
Number of Blowdown Events	
Annual Emissions (Mscf)	
Explanatory Notes / Comments	
Component Vented Emissions	
Geographic Location	GIS, zip code, or equivalent
Station Classification	A1 = above grade, pressure <100 psi A2 = above grade, pressure =100-300 psi A3 = above grade, pressure >300 psi B1 = below grade, pressure <100 psi B2 = below grade, pressure =100-300 psi B3 = below grade, pressure >300 psi
Device Type	C = connector O = open-ended line M = meter P = pneumatic device PR = pressure relief valve V = valve
Bleed Rate	L = low bleed I = intermittent bleed H = high bleed NA = not applicable
Manufacturer	
Number of Days Emitting	Because the emissions are a factor of design or function, these emissions counted for the entire year.

Annual Emissions (Mscf)	The emissions should be based on 365 days times the actual volume emitting if known, or the approved Emissions Factor. Note whether the emissions are based on actual volumetric measures in the next column.
Explanatory Notes / Comments	
Component Fugitive Leaks	
ID	
Geographic Location	GIS, zip code, or equivalent
Station Classification	A1 = above grade, pressure <100 psi A2 = above grade, pressure =100-300 psi A3 = above grade, pressure >300 psi B1 = below grade, pressure <100 psi B2 = below grade, pressure =100-300 psi B3 = below grade, pressure >300 psi
Device Type	C = connector O = open-ended line M = meter P = pneumatic device PR = pressure relief valve V = valve
Bleed Rate	L = low bleed I = intermittent bleed H = high bleed NA = not applicable
Manufacturer	
Discovery Date (MM/DD/YY)	List the actual discovery date. If the leak was discovered in the year of interest, then we will assume the component was leaking from the beginning of the year for emissions reporting purposes, or prior survey date if surveyed previously within the year of interest.
Repair Date (MM/DD/YY)	Date that the component repair stopped the leak. Any associated blowdowns as a result of the repair should be included in the blowdowns tab.
Number of Days Leaking	Assume Leaking from January 1 of subject year or prior survey date, whichever is later, thru the repair date (if repaired in year of interest) or December 31 of subject year, whichever is earlier. For O&M discovered leaks, assume that the leak begins with the discovery date thru repair date or December 31st of subject year, whichever is earlier.
Emission Factor (Mscf/day/dev)	
Annual Emissions (Mscf)	
Explanatory Notes / Comments	